Number 1 2	18645 1798757	magnetic adj2 storage motor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/09/02 13:25 2002/09/02
		motor	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/09/02
		motor	DERWENT; IBM_TDB USPAT; US-PGPUB;	
		motor	DERWENT; IBM_TDB USPAT; US-PGPUB;	
		motor	USPAT; US-PGPUB;	
		motor	US-PGPUB;	
3			1	
3			1	13:25
3			EPO; JPO;	
3			DERWENT;	
3			IBM_TDB	
	1287933	head	USPAT;	2002/09/02
			US-PGPUB;	13:25
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
4	48	backup adj2 indicator\$2	USPAT;	2002/09/02
			US-PGPUB;	13:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	135	previous adj2 backup\$4	USPAT;	2002/09/02
		From as, a manuapy .	US-PGPUB;	13:25
			EPO; JPO;	10.20
			DERWENT;	
			IBM_TDB	
6	9	extend\$3 adj2 disk\$2 adj2 sector\$2	USPAT;	2002/09/02
			US-PGPUB;	13:26
			EPO; JPO;	13.20
			DERWENT;	
			IBM_TDB	
7	492	hierarch\$3 adj2 storage\$2	USPAT;	2002/09/02
-		moraronto daji otoragoti	US-PGPUB;	13:26
			EPO; JPO;	13.20
			DERWENT;	
			IBM_TDB	
8	4170	(magnetic adj2 storage) and motor	USPAT;	2002/09/02
		(magnetic daja storage) and motor	US-PGPUB;	13:26
			EPO; JPO;	13.20
			DERWENT;	
			IBM_TDB	
9	3207	((magnetic adj2 storage) and motor) and	USPAT;	2002/09/02
•	3207	head	1	
		licau	US-PGPUB;	13:26
			EPO; JPO;	
			DERWENT;	
10	o	///magnotic adi2 steres \ and mater\ ===	IBM_TDB	2002/02/22
10	9	(((magnetic adj2 storage) and motor) and	USPAT;	2002/09/02
		head) and (backup adj2 indicator\$2)	US-PGPUB;	13:26
			EPO; JPO;	
			DERWENT; IBM_TDB	

11	2	(((magnetic adj2 storage) and motor) and	USPAT;	2002/09/02
		head) and (previous adj2 backup\$4)	US-PGPUB;	13:26
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	0	((((magnetic adj2 storage) and motor) and	USPAT;	2002/09/02
		head) and (previous adj2 backup\$4)) and	US-PGPUB;	13:27
		(hierarch\$3 adj2 storage\$2)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
13	0	((((magnetic adj2 storage) and motor) and	USPAT;	2002/09/02
		head) and (previous adj2 backup\$4)) and	US-PGPUB;	13:27
		(extend\$3 adj2 disk\$2 adj2 sector\$2)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

=> dis his

(FILE 'HOME' ENTERED AT 13:00:11 ON 02 SEP 2002) FILE 'USPATFULL' ENTERED AT 13:00:21 ON 02 SEP 2002 L1 (213261) S RECORDING L2 (229352)S MEDIA L3 18722 S RECORDING MEDIA STEP 7560 S MAGNETIC STORAGE L4L5 539375 S MOTOR L6 539608 S HEAD L7 22175 S MAGNETIC HEAD L8 18 S BACKUP INDICATOR L8 18 S BACKUP II L9 (534189) S EXTENDED L10 (162006) S FORMAT L11 (66587) S SECTOR# L12 1 S EXTENDED (2W) FORMAT (2W) SECTOR# STEP L13 65 S USER DATA SECTOR 87 S PREVIOUS BACKUP L14L15 L16 L17 879 S L3 AND L4 0 S L15 AND L14 627865... 6236625 6175549 6023383 5729511 5829011 437 S L15 AND L5 L18 419 S L17 AND L6 L19 L20 176 S L18 AND L7 0 S L19 AND L8 L21 1 S L13 AND L19 L22 L23 741 S BACKUP (3A) INDICAT### 0 S L22 AND L19 L24 20 S L4 AND L22 L25 9 S L24 AND L5 L26 0 S L25 AND L6 L27 0 S L25 AND L3 L28 0 S L13 AND L25 L29 (1714490)S EXTEND? L30 (233479)S DISK L31 (66587)S SECTOR# 20 S EXTEND? (2A) DISK (2A) SECTOR# STEP L33 1127 S HIERARCH? (2A) STORAGE L34 0 S L32 AND L33 L35 0 S L32 AND L22 L36 1 S L32 AND L13 L37 0 S L32 AND L4 L38 0 S L32 AND L3 L39 11 S L32 AND L5 L407 S L39 AND L6 => d 125 1- pn,ti YOU HAVE REQUESTED DATA FROM 9 ANSWERS - CONTINUE? Y/(N):y

L25 ANSWER 1 OF 9 USPATFULL

PI US 6115713 20000905

TI Networked facilities management system

L25 ANSWER 2 OF 9 USPATFULL

PI US 5884072 19990316

TI Networked facilities management system with updated data based on aging time

L25 ANSWER 3 OF 9 USPATFULL

PI US 5598566 19970128

TI Networked facilities management system having a node configured with

distributed load management software to manipulate loads controlled by other nodes

L25 ANSWER 4 OF 9 USPATFULL

PI US 5550980 19960827

TI Networked facilities management system with optical coupling of local network devices

L25 ANSWER 5 OF 9 USPATFULL

PI US 5522044 19960528

TI Networked facilities management system

L25 ANSWER 6 OF 9 USPATFULL

PI US 5511188 19960423

TI Networked facilities management system with time stamp comparison for

data base updates

L25 ANSWER 7 OF 9 USPATFULL

PI US 5463735 19951031

TI Method of downloading information stored in an arching device to

destination network controller through intermediate network controllers

in accordance with routing information

L25 ANSWER 8 OF 9 USPATFULL

PI US 5444851 19950822

TI Method of accessing configured nodes in a facilities management system

with a non-configured device

L25 ANSWER 9 OF 9 USPATFULL

PI US 5384697 19950124

TI Networked facilities management system with balanced differential analog control outputs

=> d 140 1- pn,ti

YOU HAVE REQUESTED DATA FROM 7 ANSWERS - CONTINUE? Y/(N):y

L40 ANSWER 1 OF 7 USPATFULL

PI US 37818 E1 20020813

US 5050013 19910917 (Original)

TI Hard sectoring circuit and method for a rotating disk data storage

device

L40 ANSWER 2 OF 7 USPATFULL

PI US 5745313 19980428

TI Method and apparatus for expanding data storage capacity

on a floppy

diskette

L40 ANSWER 3 OF 7 USPATFULL

PI US 5634748 19970603

TI Drill press having a movable head and a tilt table

L40 ANSWER 4 OF 7 USPATFULL

PI US 5050013' 19910917

TI Hard sectoring circuit and method for a rotating disk data storage

device

L40 ANSWER 5 OF 7 USPATFULL

PI US 4598327 19860701

TI Servo control system using servo pattern time of flight

for read/write

head positioning in a magnetic recording system

L40 ANSWER 6 OF 7 USPATFULL

PI US 4589037 19860513

TI Servo control system using a varying frequency servo

pattern for

read/write head positioning in a magnetic recording disk file

L40 ANSWER 7 OF 7 USPATFULL

PI US 3651500 19720321

```
(FILE 'HOME' ENTERED AT 13:00:11 ON 02 SEP 2002)
    FILE 'USPATFULL' ENTERED AT 13:00:21 ON 02 SEP 2002
        213261) S RECORDING
L1
        229352)S MEDIA
L2 (
L3
         18722 S RECORDING MEDIA STEP
          7560 S MAGNETIC STORAGE
L4
        539375 S MOTOR
L5
L6
        539608 S HEAD
L7
         22175 S MAGNETIC HEAD
L8
             18 S BACKUP INDICATOR
L9 ( 534189)S EXTENDED
L10 ( 162000)C = TENDED
L10 (
       162006)S FORMAT
L11 (
        66587)S SECTOR#
             1 S EXTENDED (2W) FORMAT (2W) SECTOR# STEP
L12
L13
             65 S USER DATA SECTOR
L14
            87 S PREVIOUS BACKUP
L15
           879 S L3 AND L4
           0 S L15 AND L14
L16
L17
          437 S L15 AND L5
L18
          419 S L17 AND L6
          176 S L18 AND L7
L19
L20
            0 S L19 AND L8
L21
            1 S L13 AND L19
          741 S BACKUP (3A) INDICAT###
L22
L23
            0 S L22 AND L19
L24
            20 S L4 AND L22
L25
             9 S L24 AND L5
             0 S L25 AND L6
L26
L27
             0 S L25 AND L3
L28
              0 S L13 AND L25
       1714490)S EXTEND?
L29 (
L30 ( 233479)S DISK
L31 (
        66587)S SECTOR#
L32
             20 S EXTEND? (2A) DISK (2A) SECTOR# STEP
L33
           1127 S HIERARCH? (2A) STORAGE
L34
             0 S L32 AND L33
L35
             0 S L32 AND L22
L36
             1 S L32 AND L13
             0 S L32 AND L4
L37
L38
             0 S L32 AND L3
L39
            11 S L32 AND L5
L40
             7 S L39 AND L6
=> d 125 1- pn,ti
YOU HAVE REQUESTED DATA FROM 9 ANSWERS - CONTINUE? Y/(N):y
L25
    ANSWER 1 OF 9 USPATFULL
PΙ
      US 6115713
                              20000905
ΤI
      Networked facilities management system
```

L25 ANSWER 2 OF 9 USPATFULL

PI US 5884072 19990316

TI Networked facilities management system with updated data based on aging time

L25 ANSWER 3 OF 9 USPATFULL

PI US 5598566 19970128

TI Networked facilities management system having a node configured with

distributed load management software to manipulate loads controlled by other nodes

L25 ANSWER 4 OF 9 USPATFULL

PI US 5550980 19960827

TI Networked facilities management system with optical coupling of local network devices

L25 ANSWER 5 OF 9 USPATFULL

PI US 5522044 19960528

TI Networked facilities management system

L25 ANSWER 6 OF 9 USPATFULL

PI US 5511188 19960423

TI Networked facilities management system with time stamp comparison for data base updates

L25 ANSWER 7 OF 9 USPATFULL

PI US 5463735 19951031

TI Method of downloading information stored in an arching device to

destination network controller through intermediate network controllers

in accordance with routing information

L25 ANSWER 8 OF 9 USPATFULL

PI US 5444851 19950822

TI Method of accessing configured nodes in a facilities management system

with a non-configured device

L25 ANSWER 9 OF 9 USPATFULL

PI US 5384697 19950124

TI Networked facilities management system with balanced differential analog control outputs

=> d 140 1- pn,ti

YOU HAVE REQUESTED DATA FROM 7 ANSWERS - CONTINUE? Y/(N):y

L40 ANSWER 1 OF 7 USPATFULL

PI US 37818 E1 20020813

US 5050013 19910917 (Original)

TI Hard sectoring circuit and method for a rotating disk data storage

device

L40 ANSWER 2 OF 7 USPATFULL

PI US 5745313 19980428

TI Method and apparatus for expanding data storage capacity

on a floppy diskette

L40 ANSWER 3 OF 7 USPATFULL

PI US 5634748 19970603

TI Drill press having a movable head and a tilt table

L40 ANSWER 4 OF 7 USPATFULL

PI US 5050013 19910917

TI Hard sectoring circuit and method for a rotating disk data storage

device

L40 ANSWER 5 OF 7 USPATFULL

PI US 4598327 19860701

TI Servo control system using servo pattern time of flight

for read/write

head positioning in a magnetic recording system

L40 ANSWER 6 OF 7 USPATFULL

PI US 4589037 19860513

TI Servo control system using a varying frequency servo

pattern for

read/write head positioning in a magnetic recording disk file

L40 ANSWER 7 OF 7 USPATFULL

PI US 3651500 19720321

TI METHOD AND APPARATUS FOR DETECTING THE POSITION OF MOVING PARTS

=>